



September 20, 2022

Via Email

Pennsylvania Department of Environmental Protection
Bureau of Oil & Gas Management
400 Waterfront Drive
Pittsburgh, PA 15222

RE: Notice of Intention by Well Operator to Plug a Well
Fox Hill #1
Permit Number 37-059-28246
Freeport Township, Greene County, Pennsylvania

Dear DEP Recipient,

Please find attached the following documentation:

- Completed Form 8000-FM-OOGM0005 "Notice of Intention by Well Operator to Plug a Well"
- Plugging Prognosis
- Form 8000-PM-OOGM0002 "Well Location Plat"
- Coal Party Proof of Notification

Notice will be given to the appropriate inspector at least 72 hours prior to commencement of plugging. Note that there were no available well records and/or completion reports found.

If you need further information regarding this submittal, please feel free to contact me at bshrum@eqt.com or 412.660.0654.

Best Regards,

Becky Shrum
Project Specialist - Permitting

Fox Hill #1
Greene County, PA
Freeport Township
API #: 37-059-28246
Coordinates: 39.759393, -80.428915
By: EQT Production
Date: 8/22/2022

Current Status:

Suspected 7" casing to surface
Other casings, sizes, and depths unknown (if any)

Offset Status: Bradley 1 (37-059-01526)

10" @ 300'
8" @ 1235'
6-5/8" @ 2025'
TD @ 2925'

1. Notify State Oil and Gas Inspector, Joel Keller @ 412-417-602, 48 hours in advance of commencement of plugging operations.
2. MIRU rig and 10k BOPs. Begin plugging and abandonment operations.
3. Set well cellar. Cut off fittings on top of suspected 7" casing and install a working valve.
4. Excavate around the wellhead to attempt to expose any casing(s) and install cellar.
5. Check for gas with monitor on the 1" vent line at the bottom of the washed-out area around the 1" vent below ground. Remove 1" vent if possible after gas check has been performed.
6. If any other valves are discovered check for pressure if possible.
7. Check pressures on all casings with a gauge. Blow down the well into a grounded tank with a secure line if there is any pressure present. All casings need to be vented to surface when possible.
8. Attempt to raise the outer most casing to surface and secure casing with wellhead or some other means to control flow. (if it exists).
9. If possible, a conductor pipe will be installed around the outer most casing discovered with 2" nipples and valves to control flow, if any encountered, to a tank.
10. After wellheads have been installed, run camera in the hole to inspect casing and determine well TD if possible. Report findings to EQT and DEP Rep.
11. Run wireline CBL/CCL to TD the well and find the bottom of suspected 7" casing. Also run a caliper log. Report depths to DEP & EQT representatives.
12. If needed, run a gamma-ray log to assess any openhole sections of the well.
13. RIH with work string to clean out the well to obtainable bottom. Report obtainable bottom to EQT & DEP.
14. Set a solid Class A cement plug from obtainable bottom to 50' below the suspected 7" casing seat. Let cement cure for 8hrs.
15. Check cement TD. If it is acceptable fill the hole with fresh water and run a wireline CBL/CCL log.
16. Review CBL/CCL results with DEP/EQT reps. Attempt to recover suspected 7" casing if it can be done safely. Hook onto and exert a pulling force of 120% of string weight or 5k over. Whichever is greater.
 - a. If unable to recover casing, consult with EQT/DEP reps on perforation schedule.
17. If suspected 7" casing is pulled, RIH with wireline CBL/CCL to find the bottom of any other unknown casings.
18. Set a solid Class A cement plug up to 50' below next casing seat.
19. Repeat steps 15-18 for any additional casings discovered.
20. Top off well as needed to surface with cement.

21. Install above ground plugging monument extending at least 48" AGL with API#, company information and date plugged.
22. Restore well site and access road according to PA DEP regulations.



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS MANAGEMENT
WELL LOCATION PLAT

PAGE 1 Surface Location

DEP USE ONLY	Auth ID #:	G:
	Permit #:	C:
	Project #:	

SHL True Latitude:
39.759393

SHL True Longitude:
-80.428915



NOTES:
THE PURPOSE OF THIS PLAT IS FOR THE LOCATION OF A PROPOSED GAS WELL AND DOES NOT REPRESENT A CLOSED BOUNDARY SURVEY. PROPERTY LINES AND OWNERS WERE OBTAINED FROM VARIOUS FIELD EVIDENCE, TAX RECORDS, AND AERIAL MAPPING.

THERE ARE NO GAS STORAGE RESERVOIRS WITHIN 1000 FEET OF THE PROPOSED WELL LOCATION.
THERE ARE NO COAL MINES WITHIN 1000 FEET OF THE PROPOSED WELL LOCATION.

Horizontal Coordinate System:
NAD 83

LEGEND

- PROPERTY LINE (SURFACE TRACT OWNER)
- - - TIE LINE
- STREAM
- ⊕ ACTIVE WELL LOCATION
- ⊙ FARMLINE EXISTING GAS WELL
- ⊙ HISTORICAL WELL NO RECORD
- ⊙ PLUGGED WELL LOCATION
- ⊙ HISTORICAL DRY HOLE
- ⊙ ABANDONED
- ⊙ HISTORICAL GAS WELL
- ⊙ WATER WELL
- ⊙ SPRING
- ⊙ WATER SOURCE NUMBER



NAD 27 Coordinates	
Tophole	
LAT	39.759312
LON	-80.429118

Applicant / Well Operator Name: EQT Production Company		DEP ID#: 146983	Well (Farm) Name: Fox Hill		Well #: #1	Serial #:
Address: 400 Woodcliff Drive, Canonsburg, PA 15317			County: Greene	Municipality: Freeport Township	Well Type: Gas	
911 address of well site: N/A			USGS 7 1/2' Quadrangle Map Name: New Freeport, PA	Map Section: 8	Surface Elevation: 1060± ft.	
Surveyor or Engineer: Thomas C. Smit, PLS	Phone #: (412) 278-2100	Dwg #:	Date: 09/09/2022	Scale: 1" = 300'	Tract Acreage: 87.91±	
Lat & Long Metadata Method: GPS	Accuracy: 3± ft.	Datum: NAD 83	Elevation Metadata Method: GPS	Accuracy: 5± ft.	Datum: NAVD 88	Survey Date: 07/21/2022

WELL LOCATION PLAT

Page 2 Notifications

DEP Statewide toll-free phone number for reporting cases of water contamination which may be associated with development of oil and gas resources is **1-866-255-5158**.

Applicant / Well Operator Name EQT Production Company	DEP ID# 146983	Well (Farm) Name Fox Hill	Well # #1	Serial #
Surface Landowner / Lessor: Zachary Debolt		Angle & Course of Deviation (Drilling): Plugging	Anticipated True Vertical Depth Feet (TVD):	Anticipated Total Measured Depth Feet (TMD):
Target Formation(s): Unknown		Deepest Formation to be penetrated: Unknown	Number of laterals: 1	Total footage to be drilled all laterals:
Surface Owner/Water Purveyor w/Water Supply within 1000'/3000'		Latitude Longitude of Water Supply		
1.) Christina Barlow		39.760380	-80.429220	
2.) Michael S. Widdup		39.760024	-80.427927	
3.) Charles E. Gorby		39.759868	-80.427269	
4.) Martin R. Moninger		39.760884	-80.427066	
5.) Zachary K. O'Neil		39.760278	-80.426127	
6.) William Yoders		39.759144	-80.427065	
7.) William Yoders		39.759174	-80.426941	
8.) Mapletown, LLC		39.759309	-80.427155	
9.) Mapletown, LLC		39.759391	-80.427197	
10.) Rex Miller		39.759448	-80.427338	
11.) Freeport Township		39.759562	-80.427762	
12.) Rickie Jolliff		39.759918	-80.429104	
13.) Rickie Jolliff		39.760064	-80.429291	
14.) James D. Gillin Jr.		39.759959	-80.430019	
15.) Zachary Debolt		39.759143	-80.429489	
16.) Zachary Debolt		39.758960	-80.429459	
17.) Thomas Hoag		39.758420	-80.429554	
18.) R. Allen Shipman		39.759560	-80.426303	
19.) R. Allen Shipman		39.759717	-80.426053	
20.) Mike A. Virgin		39.760400	-80.428087	
21.) Don Gorby		39.758420	-80.429554	
Municipality: where the well will be drilled, adjacent to the well, or within 3000 feet		Coal Related Parties		
Freeport Township, Greene County, PA		Realty Company of Pennsylvania – Owner – Pittsburgh River Seam		
Springhill Township, Greene County, PA		CONSOL RCPC LLC – Owner – Pittsburgh River Seam		
Jackson Township, Greene County, PA				
Gilmore Township, Greene County, PA				

ORIGIN ID: PTA (412) 790-6743
SASHA JOHNSTON
KEYSTONE CONSULTANTS LLC
32 E MAIN ST
CARNEGIE, PA 15106

SHIP DATE: 15SEP22
ACTWGT: 0.50 LB
CAD: 255411408/NET4530

UNITED STATES US


BILL SENDER

TO REALTY COMPANY OF PENNSYLVANIA

600 HAMILTON ST SUITE 600

ALLENTOWN PA 18101

(000) 000-0000 REF: FOXHILL #1 3090 22 25
INV/ PO: DEPT:



J223022081201uv


581J1/EC8C/FE2D

TRK# 7779 4159 4642
#0201

FRI - 16 SEP 4:30P
STANDARD OVERNIGHT
ASR

XE ABEA

PA-US 18101
ABE



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



September 16, 2022

Dear Customer,

The following is the proof-of-delivery for tracking number: 777941594642

Delivery Information:

Status:	Delivered	Delivered To:	Receptionist/Front Desk
Signed for by:	A.MANNING	Delivery Location:	
Service type:	FedEx Standard Overnight		
Special Handling:	Deliver Weekday; Adult Signature Required		ALLENTOWN, PA,
		Delivery date:	Sep 16, 2022 09:58

Shipping Information:

Tracking number:	777941594642	Ship Date:	Sep 15, 2022
		Weight:	0.5 LB/0.23 KG
Recipient:		Shipper:	
ALLENTOWN, PA, US,		CARNEGIE, PA, US,	

Reference Foxhill #1 3080.22.25

Thank you for choosing FedEx

ORIGIN ID: PITA (412) 790-6743
SASHA JOHNSTON
KEYSTONE CONSULTANTS LLC
32 E MAIN ST
CARNEGIE, PA 15106
UNITED STATES US

SHIP DATE: 19SEP22
ACTWGT: 0.50 LB
CAD: 255411408/INET4530

BILL SENDER


TO CONSOL RCPC LLC

275 TECHNOLOGY DR
SUITE 101

CANONSBURG PA 15317


(000) 000-0000 REF: FOXHILL #1 3080 2225
INV/ PO: DEPT:

581J1/EC8C/FE2D



TRK# 7779 7527 6242
0201
TUE - 20 SEP 10:30A
PRIORITY OVERNIGHT
ASR

65 PITA
PA-US 15317
PIT



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

